

Technical Specification

Pavés de Paris

End Grain Wood Flooring

fuseflooring.com

FUSE
WOOD FLOORING

Product

Collection	Pavés de Paris
Name	Generic
Style	End Grain
Finish	Rubio Monocoat
Surface	Sanded

Wood

Species	Varies
Treatment	None
Grade	Clear
Cut	End Grain
Hardness	Varies by species


Construction

Type	Solid hardwood
Layers	1-layer
Edge	Irregular
Connection	None
Dimensions	12 x 210 x 490 mm

Layers

Lamella Material	White Oak
Thickness	12 mm
Core Material	No core
Thickness	No core
Backing	Foam

Relative wood hardness



Notes

Wood colour variation

All wooden floors have natural colour variation. Untreated floors will have some colour variation, depending on the species. Stained floors generally have less colour variation. Smoked floors have more colour variation. Please be aware of the amount of variation to expect by looking at the 'wood - treatment' section, or contact a sales representative for pictures and further information.

Wood colour change

Wood changes colour when exposed to sunlight. This process is called 'oxidization' and happens over a period of several months to several years, depending on the species. Different species will change different colours over different periods of time. Note that certain finishes also oxidize and this colour change is in addition to the wood's oxidization.

Wood hardness

The Jenka hardness scale is determined by the amount of force required to embed an 11 mm steel ball half-way into the wood. A higher rating is a harder wood. Note that this does not indicate a product's resistance to scratching, just denting.

Dimensions

The dimensions indicated are for the standard size. Many other dimensions are available for width, height and length, as well as mixed dimensions.



For more information, please contact

Toronto 330 King Street East
Toronto, Ontario M5A 1K6
416 961 6891
info@relative-space.com
www.relative-space.com

New York 400 West Broadway
4th Floor, New York, New York 10012
212 353 3370
info@relative-space.com
www.relative-space.com